

Safety Data Sheet

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product ID / Name: 3202 - PROCESS MAGENTA BW4

Recommended Use: Printing Ink

Company Name: Zeller+Gmelin Corporation

Address: 4801 Audubon Drive, Richmond, Virginia 23231 USA

Telephone: (800) 84UV INK (800-848-8465)
Email: msds@zeller-gmelin.com

Internet: http://www.zeller-gmelin.com
Emergency Contact: CHEMTREC, (800) 424-9300

CHEMTREC International and Maritime, +1 (703) 527-3887

2. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

Appearance and Odor:

Color: RED
Appearance: Liquid
Odor: Ester Like

LABEL ELEMENTS

GHS-US labeling

HAZARD STATEMENTS

Hazard Pictogram:

Signal Word: DANGER!

! Irritant

Health Hazard



H302: Harmful if swallowed H315: Causes skin irritation

H317: May cause an allergic skin reaction

H318: Causes serious eye damage

H360: May damage fertility or the unborn child

H373: May cause damage to organs through prolonged or repeated exposure

PRECAUTIONARY STATEMENTS

P264: Wash thoroughly with soap and water after handling.

P270: Do not eat, drink, or smoke when using this product.

P272: Contaminated work clothing should be restricted to the workplace. Wash contaminated clothing before reuse.

P281: Wear appropriate PPE – gloves / protective clothing / eye protection / face protection

IF ON SKIN: Wash thoroughly with soap and water. If skin irritation or rash occurs, seek medical advice /attention.

IF IN EYES: Flush with copious amounts of water for at least 15 minutes, and seek medical advice / attention.

S45: In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

POTENTIAL HEALTH EFFECTS OF EXPOSURE

Inhalation: Low volatile organic compound (VOC) content makes inhalation problems unlikely at room temperature; however, elevated

temperatures and/or aerosol formation may lead to irritation of the lungs.

Skin: Contains materials that may cause moderate skin injury (reddening and swelling). Prolonged contact may cause blister formation

and in some cases skin sensitization may occur.

Ingestion: Contains materials that may be slightly toxic.

Page 1 of 5 3202_SDS_1118



Eyes: May cause severe pain and irritation upon direct exposure. Risk of permanent damage to eyes.

3. COMPOSITION/INFORMATION ON INGREDIENTS

CAS # / EC #	Chemical Name	Quantity - %
Trade Secret	Ditrimethylolpropane Tetraacrylate	5 - 20
Trade Secret	Epoxy acrylate resin	1 - 5
Trade Secret	Adhesion promoter	5 - 20
10287-53-3	Ethyl-4-dimethyl Amino Benzoate	1 - 5
119313-12-1	2-Benzyl-2-dimethyl-amino-4-morpholino butyro-phenone	1 - 5
15625-89-5	Trimethylolpropane triacrylate	20 - 40
55818-57-0	Epoxy Acrylate	1 - 5
57472-68-1	Oxybis(methyl-2,1-ethanediyl) diacrylate	5 - 20
606-28-0	Methyl-o-benzoylbenzoate	1 - 5

Specific composition and formulation of products are considered trade secrets; however, upon request, specific information may be provided to medical facilities and industrial hygienists. Carcinogens are specifically noted in Section 11 if present. Carcinogen is defined as listed by International Agency for Research on Cancer (IARC), National Toxicology Program (NTP), American Conference of Governmental Industrial Hygienists (ACGIH), or Occupational Safety & Health Administration (OSHA).

4. FIRST AID MEASURES

Inhalation:	Remove to fresh air. If breathing is difficult or persistent symptoms, seek medical assistance / call a physician.			
Skin:	Wash affected areas thoroughly with soap and warm water. Remove contaminated clothing and footwear without delay. Contaminated clothing must be thoroughly laundered before reuse. Destroy or thoroughly clean contaminated footwear before reuse. Do not remove contaminated clothing or footwear from the workplace.			
Ingestion:	Consult medical assistance / local poison control center / physician promptly. Never give anything by mouth to an unconscious person. Only induce vomiting at the instruction of a physician.			
Eyes:	Flush eyes with water for at least 15 minutes and consult medical assistance / physician promptly. Do not rub eyes. Remove contact lens, if present and easy to do. Continue rinsing. This may contain materials that are capable of causing eye injury.			
General:	In all cases of doubt or when symptoms persist, seek medical attention.			

5. FIRE FIGHTING MEASURES

Suitable extinguishing media:	Water spray or fog, carbon dioxide or dry chemical fire extinguishers.
Extinguishing media to avoid:	High-pressure water jet as this will spread the fire.
Protective equipment:	Firefighters, and others exposed, wear self-contained breathing apparatus. Wear full firefighting protective clothing. See SDS section 8 (Exposure Controls / Personal Protection)
Special Hazards:	Keep containers cool by spraying with water if exposed to fire. During fire, gases hazardous to health may be formed.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions:	Wear protective clothing, eye protection, respirator, and impermeable boots - refer to		
	Section 8 – Exposure Controls / Personal Protection.		
In the event of material release or spillage:	Pick up any material with liquid binding or inert absorbent material. Sweep up and		

place in a waste disposal container. Advise environmental authorities if spillage has entered waterways or drainage system.

Page 2 of 5 3202_SDS_1118



7. HANDLING AND STORAGE

Precautionary measures: Store in closed containers away from heat and open flame.

Store at room temperature, between 4°- 40°C (39° - 104°F)

Avoid breathing mist.

Avoid exposure to personnel as indicated.

Use in a ventilated area
Wear protective clothing.

Decontaminate area as required.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control Parameters - Components with limit values that require monitoring at the workplace.

The product does not contain any relevant quantities of materials with critical values

that have to be monitored at the workplace.

OSHA - PEL or ACGIH - TLV: OSHA Permissible Exposure Limits (PELs), American Conference of Governmental

Industrial Hygienists (ACGIH) Threshold Limit Values (TLVs), and other exposure

limits have not been established for this product.

Exposure Controls

Respiratory Protection: (Specify Type): No special precautions needed with adequate ventilation.

Ventilation: Local Exhaust: Preferable

Mechanical (General): Preferable

Protective Gloves: Solvent-resistant protective gloves if contact is likely. Nitrile rubber recommended.

Eye Protection: Safety glasses with side shields / splash goggles

Other protective clothing and/or equipment: Wear impermeable boots if exposure levels warrant.

Work/Hygienic Practices: Avoid contact with skin and eyes. Wash hands before handling food.

9. PHYSICAL AND CHEMICAL PROPERTIES

Color RED
Physical State (Appearance) Liquid
Odor Ester Like
Odor Threshold N/A

Boiling Point N/A, decomposes or polymerizes first

N/A Melting Point Vapor Pressure (mm Hg) N/A Vapor Density N/A Viscosity (Kinematic) N/A Saturation in Air (% by volume) N/A Evaporation Rate (Bu.Ac.=1) <1 Specific Gravity (Relative Density) 1.2 pН N/A Solubility in Water N/A Partition Coefficient: n-octanol/water N/A Percent Volatile VOC (% by wt.) <1% w/w

Flash Point >212°F (>100°C)

Flammability (solid, gas) N/A
Decomposition temperature N/A
Auto ignition temperature N/A

10. STABILITY AND REACTIVITY

Stability: Stable under normal storage and transportation conditions

Conditions to Avoid: Exposure to sunlight or other sources of UV radiation, exposure to ionizing radiation.

Heat, flames, and sparks. Contact with incompatible materials.

Page 3 of 5 3202_SDS_1118



Incompatibility: (Materials to Avoid):
Hazardous Decomposition / By-products:

Hazardous Polymerization:

Avoid mixing with vigorous oxidizing materials, peroxides, strong bases and alkalis. No hazardous decompositions products are known during normal usage. High temperatures and/or fire conditions may cause rapid and uncontrolled polymerization.

11. TOXICOLOGICAL INFORMATION

Toxicological information for these products is also found under Section 2, HAZARDS IDENTIFICATION.

The toxicological information on these products has not been fully investigated. Direct contact with this material may cause moderate to severe irritation of the skin, eyes, respiratory and moderate irritation of the gastrointestinal tract. There are no reportable quantities of carcinogenic substances as defined by IARC, NTP, ACGIH, or OSHA health organizations. A minor component, CAS#119313-12-1, is a Category 1B reproductive toxin (H360d) with suspected developmental toxicity. A minor component, CAS# 10287-53-3, is a Category 1B reproductive toxin (H360) with suspected developmental toxicity. Component, CAS# 606-28-0, may cause damage to organs through prolonged or repeated exposure through inhalation and contact.

12. ECOLOGICAL INFORMATION

Toxicity: The ecological properties of these products have not been fully investigated.

Persistence and Degradability: Not established
Bio-accumulative Potential: Not established

Mobility in Soil: No additional information is available

Other information: Do not release to the environment. A minor component has been classed as an aquatic toxin. Avoid entry of

this product into drains and waterways.

13. DISPOSAL CONSIDERATIONS

Waste Disposal Method: Do not allow product to enter drainage system. Dispose of in accordance with local, State and Federal

regulations. Incineration is the preferred method. Contact a professional environmental disposal company in

your area. Refer to guidelines in the Resource Conservation & Recovery Act (RCRA).

14. TRANSPORT INFORMATION

Refer to appropriate local, state or national transport regulations for specific requirements.

US DOT:

Transport Canada:

Air Transport (ICAO / IATA):

Sea Transport (IMDG / IMO):

Not Regulated

Not Regulated

15. REGULATORY INFORMATION

Inventory	Inf	formati	on -	TSCA
-----------	-----	---------	------	------

United States (USA): All components of this product are included on the TSCA Chemical Inventory or are exempt from listing on the TSCA

Chemical Inventory.

CERCLA Hazardous Substance List (40 CFR 302.4) Not Applicable

Heavy Metals - Products meet CONEG requirements.

SARA Hazard Notification

Hazard categories under Title III Rules (40 CFR 370) X Immediate Health (Acute) X Reactive

Section 311 / 312: X Delayed Health (Chronic) ___ Fire Hazard

__ Sudden Pressure Release ___ None

Section 302 Extremely Hazardous Substances: Not Applicable
Section 313 Toxic Chemical(s): Not Applicable

OSHA Hazard Communication Standard

(29 CFR 1910.1200): X Irritant ___ Unstable Reactive

Page 4 of 5 3202_SDS_1118



California Proposition 65

Products may contain trace levels of chemicals known to the State of California to cause cancer or reproductive harm. The estimated level of reported Prop 65 components is:

CAS# 108-88-3	Toluene	0.013826%
CAS# 67-56-1	Methanol	0.002%
CAS# 75-21-8	Ethylene oxide	0.00027%
CAS# 80-05-7	Bisphenol A	0.000346%

International Regulations

Chemical Weapons Convention: Covered products do not contain any component(s) listed under the Chemical

Weapons Convention Schedule of Chemicals.

Hazards to the Ozone Layer Covered products do not contain substances identified as causing damage to the

ozone layer, including CFC or HCFC. Reference the Montreal Protocol.

PFC (perfluorinated chemicals)

Covered products do not contain long -chain (PFCs).

R.E.A.C.H. and SVHC: Covered products do not contain any known amounts of materials on the REACH

SVHC Candidate ("Black") List of chemicals, the REACH Restricted List (Annex XVII) of substances, or the REACH Authorization list (Annex XIV) of substances as issued by the European Chemical Agency (ECHA). Products manufactured in the

EU comply with REACH Directive 1907/2006 EC.

RoHS (Restriction of Hazardous Substances): Covered products allow for compliance with the current RoHS Directive restricting

the use of certain hazardous substances in electrical and electronic equipment, medical devices and monitoring and control instruments, and certain cables. Products are well below the maximum concentration limits of lead (0.1%), mercury (0.1%), cadmium (0.01%), hexavalent chromium (0.1%), polybrominated biphenyls [PBB] (0.1%), polybrominated diphenyl ethers [PBDE] (0.1%) and listed phthalates.

Canada Regulations

Workplace Hazardous Materials Information System: (WHMIS Classification): This product is not WHMIS controlled.

Domestic Substances List (DSL): Components are either exempt or listed on the DSL. Exceptions noted below.

Non-Domestic Substances List (NDSL): Approximately 14 % of product components are NDSL listed.

This product contains components that are not DSL or NDSL listed, 0 %.

16. OTHER INFORMATION

Last Revision: 1 November 2018 Supersedes: First Edition

Prepared by: Regulatory Affairs, R&D

NOTE: The information herein is given in good faith and is believed to be accurate as of the date prepared. No warranty, expressed or implied, is made. It is the responsibility of the user to determine if products are suitable for their applications. This document prepared in accordance with OSHA, 29 CFR 1910.1200(g) and Appendix D. United Nations Globally Harmonized System of Classification and Labeling of Chemicals (GHS), current edition, United Nations.

Page 5 of 5 3202_SDS_1118